

**Albin's Most Popular
Big Rig Build P100
Peterbilt 348**



Rig Features:

Primary Mainline

Secondary Mainline

64 ft Tower Height

Sandline Winch / Several Choices / *Cable Not Normally Provided*

Tailout Winch with Cable & Hook

Remote Control for Primary Mainline

Hydraulic Power to Rear/one set outlets/ *Set Up For Adjustable Pressure Relief for Tongs or Spinners*

Derrick Light Package

Hydraulic Jib boom

Passenger Side Cathead with Roller

Additional Mast Height

Basic (single) breakout system

Load Indicator Standard

Roller Bearing Sheaves

Air plumbed to rear for pneumatic tools

Emergency E-Kill

Paint Color TBA

Flatbed features:

Pulstar HD all steel flatbed, 8 ft wide x 20 ft long, complete undercoating, LED light package, mudflaps and brackets, ICC clearance lights and reflectors.

Headache Rack

Cab Cover

Dual front outriggers

Underbody Toolboxes *large as possible / subject to obstructions*

Overall Width 96"

LED Marker and Running Lights

EXHD all-steel construction

Banding Rail Package (Increases deck width to 102")

Above-body aluminum toolboxes Usually Provided

Rear Vertical Light skirt

HD Bumper

Paint Color TBA

Truck features:

New Peterbilt Cab & Chassis Model 348, Regular Cab, Class 8, Diesel, Manual Transmission

Cab and Chassis / aluminum cab

Paccar PX-9 Diesel/ 1,000 lb ft torque / 350 HP

RTO 14908LL 10-speed with double LO

180" C/T 267" WB

All Standard Peterbilt 348 Features

Air Conditioning

Power Windows/AM/FM stereo w/weather-band

60,000 GVW

20,000 lb front axle

Frame rail inner liner

40,000 lb tandem rear axles

Hendrickson Haulmax suspension

Air brakes and dryer

4.11 Rear Axles ratio w/ diff lock / both axles

(2) Steer tires front 4.25/65R22.5

(8) Steel Radial All-Terrain Traction Tires, rear 11R22.5

Polished aluminum rims front & rear

Fuel tank, driver side

DEF tank included

Minimum Class B CDL driver required

Truck Color = TBA

Tier 4 emissions compliant

C-Brake by Jacobs

Pusher Axle Suspension Provided

Emergency E-Kill Provided

Parameters modified for High Idle

Parameters modified for Regen Identify